



BRAIDED CANDLE WICK

Aroma-Lite[®] Wick

Atkins & Pearce's Aroma-Lite[®] Wick series is specifically engineered for tough-to-burn candle systems with high levels of fragrance. This self-trimming wick is great for container and pillar systems designed to reduce and/or inhibit carbon heading. These wicks are constructed of 100% natural fibers.

The Aroma-Lite[®] Wick series is offered in spools of raw braided Aroma-Lite[®] wick and in pre-waxed, cut, and tabbed assemblies. In effort to support user testing of various sizes within our Aroma-Lite[®] wick series, Atkins & Pearce offers Aroma-Lite[®] Sample Kits for purchase online; sample kits include a variety of 10 sizes of pre-waxed, cut, and tabbed assemblies.



Wick Suggestions for Aroma-Lite[®] Wick

	Extra Small	Small	Medium	Large	Extra Large
Containers	less than 1"	1" – 2"	2" – 3"	3" – 4"	4" and greater
Votives	n/a	1" – 1-1/2"	1-1/2" – 2-1/2"	n/a	n/a
Pillars	less than 1"	1" – 2"	2" – 3"	3" – 4"	4" and greater
Tapers	3/16" – 1/2"	1/2" – 3/4"	3/4" – 7/8"	n/a	n/a

	Wax Pool Diameter (cm in)	Containers	Pillars	Votives	Tapers
AROMA-LITE-20	4.07 1.60	Extra Small	Extra Small	Extra Small	<i>Not Suggested</i>
AROMA-LITE-40	4.30 1.69	Small	Small	Small	<i>Not Suggested</i>
AROMA-LITE-60 *	4.33 1.71	Small	Small	Small	<i>Not Suggested</i>
AROMA-LITE-80	4.51 1.78	Small	Small	Small	<i>Not Suggested</i>
AROMA-LITE-100 *	4.68 1.84	Medium	Medium	Medium	<i>Not Suggested</i>
AROMA-LITE-110 *	4.77 1.88	Medium	Medium	Medium	<i>Not Suggested</i>
AROMA-LITE-120 *	4.80 1.89	Medium	Medium	Medium	<i>Not Suggested</i>
AROMA-LITE-160 *	4.82 1.90	Medium	Medium	Medium	<i>Not Suggested</i>
AROMA-LITE-140 *	4.91 1.93	Medium	Medium	Medium	<i>Not Suggested</i>
AROMA-LITE-180 *	5.02 1.97	Large	Large	<i>Not Suggested</i>	<i>Not Suggested</i>
AROMA-LITE-200 *	5.04 1.98	Large	Large	<i>Not Suggested</i>	<i>Not Suggested</i>
AROMA-LITE-210	5.14 2.02	Large	Large	<i>Not Suggested</i>	<i>Not Suggested</i>
AROMA-LITE-220 *	5.14 2.02	Large	Large	<i>Not Suggested</i>	<i>Not Suggested</i>
AROMA-LITE-240 *	5.33 2.10	Large	Large	<i>Not Suggested</i>	<i>Not Suggested</i>

*Select size offered in our Aroma-Lite[®] Wick Sample Kit available for online purchase.

Atkins & Pearce

One Braid Way, Covington, KY 41017 USA

1.800.837.7477 | info@atkinsandpearce.com | www.atkinsandpearce.com

Aroma-Lite[®] Wick

Rate Chart for Aroma-Lite[®] Wick

	Flame Height (cm in)	Rate of Consumption (g/hr oz/hr)	Wax Pool Diameter (cm in)	Yield (yds. / lb.)	Total # of Ends
AROMA-LITE-20	1.26 0.50	1.82 0.06	4.07 1.60	427	30
AROMA-LITE-40	1.75 0.69	2.62 0.09	4.30 1.69	341	38
AROMA-LITE-60 *	1.82 0.72	2.74 0.10	4.33 1.71	299	42
AROMA-LITE-80	2.22 0.87	3.38 0.12	4.51 1.78	330	42
AROMA-LITE-100 *	2.58 1.02	3.98 0.14	4.68 1.84	265	50
AROMA-LITE-110 *	2.78 1.09	4.30 0.15	4.77 1.88	212	62
AROMA-LITE-120 *	2.85 1.12	4.43 0.16	4.80 1.89	188	70
AROMA-LITE-160 *	2.88 1.13	4.47 0.16	4.82 1.90	168	74
AROMA-LITE-140 *	3.09 1.22	4.80 0.17	4.91 1.93	145	74
AROMA-LITE-180 *	3.32 1.31	5.18 0.18	5.02 1.97	136	89
AROMA-LITE-200 *	3.36 1.32	5.26 0.19	5.04 1.98	128	94
AROMA-LITE-210	3.53 1.39	5.40 0.19	5.14 2.02	115	100
AROMA-LITE-220 *	3.58 1.41	5.61 0.20	5.14 2.02	116	102
AROMA-LITE-240 *	4.00 1.58	6.30 0.22	5.33 2.10	108	108

*Select size offered in our Aroma-Lite[®] Wick Sample Kit available for online purchase.



CONTACT US!

Our manufacturing facility and office is centrally located in northern Kentucky.



Atkins & Pearce

One Braid Way, Covington, KY 41017 USA

1.800.837.7477 | info@atkinsandpearce.com | www.atkinsandpearce.com

LAST REVISED: June 2025 | The rate chart is provided by Atkins & Pearce merely as an additional tool to assist the customer in making an appropriate wick selection. This is only provided to serve as suggestions of wicks that may be appropriate based upon certain criteria and should not be relied upon as determinative or as a substitute for customer testing. Many variables exist in candle wax types, additives, and formulations for individual candle systems. Final wick selection should always be confirmed through the customer's own testing process to determine if a particular wick is the correct choice for a particular candle system. Atkins & Pearce is not responsible for selections made by the customer using any of the reference material provided. For optimal burn performance in specific candle systems, we strongly recommend that customers conduct exhaustive burn tests in their own burn lab and consider retaining samples for their future internal reference. The importance of candle testing and data validation cannot be overstated. As the customer, you and your company are responsible for appropriately testing all Atkins & Pearce wicks in your candle formulations and for making the final wick selection based upon meeting appropriate candle safety and burn standards. Atkins & Pearce makes no representation or warranty, expressed or implied, at law or in equity, in respect of the information provided, including, without limitation, with respect to merchantability or fitness for any particular purpose, which representations or warranties are hereby expressly disclaimed.