



BRAIDED CANDLE WICK

# Legacy Wick

Atkins & Pearce's Legacy Wick series is often referred to as flat, regular, or ply and formerly known as our 'Classic Wick'. This wick provides a slight curl when burning which helps reduce carbon build-up. Legacy wicks are designed for dipped and extruded candles and especially well-suited for pillars and tapers. These wicks are constructed of 100% natural fibers.

The Legacy Wick series is offered in spools of raw braided Legacy wick and in pre-waxed, cut, and tabbed assemblies.



## Wick Suggestions for Legacy Wick

	Extra Small	Small	Medium	Large	Extra Large
<b>Containers</b>	less than 1"	1" – 2"	2" – 3"	3" – 4"	4" and greater
<b>Votives</b>	n/a	1" – 1-1/2"	1-1/2" – 2-1/2"	n/a	n/a
<b>Pillars</b>	less than 1"	1" – 2"	2" – 3"	3" – 4"	4" and greater
<b>Tapers</b>	3/16" – 1/2"	1/2" – 3/4"	3/4" – 7/8"	n/a	n/a

	Wax Pool Diameter (cm   in)	Containers	Pillars	Votives	Tapers
<b>12 LEGACY</b>	4.29   1.69	Small	Small	Small	Small
<b>15 LEGACY</b>	4.73   1.86	Medium	Small	Small	Small
<b>18 LEGACY</b>	4.90   1.93	Medium	Small	Medium	Medium
<b>21 LEGACY</b>	4.92   1.94	Medium	Medium	Medium	Medium
<b>24 LEGACY</b>	5.00   1.97	Medium	Medium	<i>Not Suggested</i>	Medium
<b>27 LEGACY</b>	5.00   1.97	Medium	Medium	<i>Not Suggested</i>	Medium
<b>30 LEGACY</b>	5.09   2.00	Medium	Medium	<i>Not Suggested</i>	<i>Not Suggested</i>
<b>36 LEGACY</b>	5.35   2.11	Large	Large	<i>Not Suggested</i>	<i>Not Suggested</i>
<b>39 LEGACY</b>	5.36   2.11	Large	Large	<i>Not Suggested</i>	<i>Not Suggested</i>
<b>42 LEGACY</b>	5.36   2.11	Large	Large	<i>Not Suggested</i>	<i>Not Suggested</i>
<b>45 LEGACY</b>	5.52   2.17	Extra Large	Extra Large	<i>Not Suggested</i>	<i>Not Suggested</i>
<b>60 LEGACY</b>	5.63   2.22	Extra Large	Extra Large	<i>Not Suggested</i>	<i>Not Suggested</i>

**Atkins & Pearce**

One Braid Way, Covington, KY 41017 USA

1.800.837.7477 | info@atkinsandpearce.com | www.atkinsandpearce.com

# Legacy Wick

## Rate Chart for Legacy Wick

	Flame Height (cm   in)	Rate of Consumption (g/hr   oz/hr)	Wax Pool Diameter (cm   in)	Yield (yds. / lb.)	Total # of Ends
12 LEGACY	2.52   0.99	3.68   0.13	4.29   1.69	1,077	12
15 LEGACY	3.30   1.30	4.92   0.17	4.73   1.86	829	15
18 LEGACY	3.61   1.42	5.40   0.19	4.90   1.93	690	18
21 LEGACY	3.63   1.43	5.43   0.19	4.92   1.94	573	21
24 LEGACY	3.79   1.49	5.68   0.20	5.00   1.97	492	24
27 LEGACY	3.79   1.49	5.68   0.20	5.00   1.97	424	27
30 LEGACY	3.94   1.55	5.96   0.21	5.09   2.00	390	30
36 LEGACY	4.41   1.74	6.67   0.24	5.35   2.11	325	36
39 LEGACY	4.42   1.74	6.67   0.24	5.36   2.11	301	39
42 LEGACY	4.42   1.74	6.67   0.24	5.36   2.11	268	42
45 LEGACY	4.70   1.85	7.12   0.25	5.52   2.17	251	45
60 LEGACY	4.91   1.93	7.44   0.26	5.63   2.22	185	60



### CONTACT US!

Our manufacturing facility and office is centrally located in northern Kentucky.



## Atkins & Pearce

One Braid Way, Covington, KY 41017 USA

1.800.837.7477 | info@atkinsandpearce.com | www.atkinsandpearce.com

**LAST REVISED: June 2025** | The rate chart is provided by Atkins & Pearce merely as an additional tool to assist the customer in making an appropriate wick selection. This is only provided to serve as suggestions of wicks that may be appropriate based upon certain criteria and should not be relied upon as determinative or as a substitute for customer testing. Many variables exist in candle wax types, additives, and formulations for individual candle systems. Final wick selection should always be confirmed through the customer's own testing process to determine if a particular wick is the correct choice for a particular candle system. Atkins & Pearce is not responsible for selections made by the customer using any of the reference material provided. For optimal burn performance in specific candle systems, we strongly recommend that customers conduct exhaustive burn tests in their own burn lab and consider retaining samples for their future internal reference. The importance of candle testing and data validation cannot be overstated. As the customer, you and your company are responsible for appropriately testing all Atkins & Pearce wicks in your candle formulations and for making the final wick selection based upon meeting appropriate candle safety and burn standards. Atkins & Pearce makes no representation or warranty, expressed or implied, at law or in equity, in respect of the information provided, including, without limitation, with respect to merchantability or fitness for any particular purpose, which representations or warranties are hereby expressly disclaimed.