

Aroma-Lite™ Wick

Aroma-Lite is a cored wick constructed of 100% natural fibers. This newest generation of wick is specially engineered to burn in candle systems with high levels of fragrance. This blend of all-natural precision braided textiles is designed especially for those tough-to-burn container and pillar systems. Aroma-Lite is also designed to reduce and or inhibit carbon heading.

Features

- ▶ Self-trimming.
- ▶ Constructed of 100% natural fibers.
- ▶ Designed to reduce and or inhibit carbon heading.
- ▶ Designed for candle systems with a high level of fragrance.



The Heart of Great Candles™

Atkins & Pearce wicks are at the heart of great candles. At Atkins & Pearce we believe that the wick is the heart of the candle system and feel a real sense of pride in supplying our customers with that one best wick that suits each and every one of their needs. Over the past 150 years we've perfected our wick manufacturing process and offer an expansive wick selection to fit each customer's unique needs.

Aroma-Lite™ Wick

Rate Chart

	Flame HT - cm (in)	ROC - g/hr (oz/hr)	Wax Pool - cm (in)	Yields - yds/lb	Total # of Ends
AROMA-LITE-20	1.26 (0.50)	1.82 (0.06)	4.07 (1.60)	427	30
AROMA-LITE-40	1.75 (0.69)	2.62 (0.09)	4.30 (1.69)	341	38
AROMA-LITE-60	1.82 (0.72)	2.74 (0.10)	4.33 (1.71)	299	42
AROMA-LITE-80	2.22 (0.87)	3.38 (0.12)	4.51 (1.78)	330	42
AROMA-LITE-100	2.58 (1.02)	3.98 (0.14)	4.68 (1.84)	265	50
AROMA-LITE-110	2.78 (1.09)	4.30 (0.15)	4.77 (1.88)	212	62
AROMA-LITE-120	2.85 (1.12)	4.43 (0.16)	4.80 (1.89)	188	70
AROMA-LITE-160	2.88 (1.13)	4.47 (0.16)	4.82 (1.90)	168	74
AROMA-LITE-140	3.09 (1.22)	4.80 (0.17)	4.91 (1.93)	145	74
AROMA-LITE-180	3.32 (1.31)	5.18 (0.18)	5.02 (1.97)	136	89
AROMA-LITE-200	3.36 (1.32)	5.26 (0.19)	5.04 (1.98)	128	94
AROMA-LITE 210	3.53 (1.39)	5.40 (0.19)	5.17 (2.04)	115	100
AROMA-LITE-220	3.58 (1.41)	5.61 (0.20)	5.14 (2.02)	116	102
AROMA-LITE-240	4.00 (1.58)	6.30 (0.22)	5.33 (2.10)	108	108

Aroma-Lite™ Wick

Wick Suggestions

DEFINITIONS	Extra Small	Small	Medium	Large	Extra Large
Containers	less than 1"	1" - 2"	2" - 3"	3" - 4"	5" & up
Votives	-	1" - 1 1/2"	1 1/2" - 2 1/2"	-	-
Pillars	less than 1"	1" - 2"	2" - 3"	3" - 4"	5" & up
Tapers	3/16" - 1/2"	1/2" - 3/4"	3/4" - 7/8"	-	-

	Pool Dia. - cm (in)	Containers	Pillars	Votives	Tapers
AROMA-LITE-20	4.07 (1.60)	extra small	extra small	extra small	not suggested
AROMA-LITE-40	4.30 (1.69)	small	small	small	"
AROMA-LITE-60	4.33 (1.71)	small	small	small	"
AROMA-LITE-80	4.51 (1.78)	small	small	small	"
AROMA-LITE-100	4.68 (1.84)	medium	medium	medium	"
AROMA-LITE-110	4.77 (1.88)	medium	medium	medium	"
AROMA-LITE-120	4.80 (1.89)	medium	medium	medium	"
AROMA-LITE-160	4.82 (1.90)	medium	medium	medium	"
AROMA-LITE-140	4.91 (1.93)	medium	medium	medium	"
AROMA-LITE-180	5.02 (1.97)	large	large	-	"
AROMA-LITE-200	5.04 (1.98)	large	large	-	"
AROMA-LITE 210	5.14 (2.02)	large	large	-	"
AROMA-LITE-220	5.14 (2.02)	large	large	-	"
AROMA-LITE-240	5.33 (2.10)	large	large	-	"

Disclaimer

The rate charts provided in this catalog are meant to serve only as a guide for our customers to assist them in wick selection. Many variables exist in candle wax types, additives and formulations for individual candle systems. Final wick selection should always be confirmed through the customer's own testing process to determine if a particular wick is the correct choice for a particular candle system. Atkins & Pearce is not responsible for selections made by the customer using any of the reference material contained in this catalog. For optimal burn performance in specific candle systems, we strongly recommend that customers conduct exhaustive burn tests in their own burn lab and consider retaining samples for their future internal reference. The importance of candle testing and data validation cannot be overstated.