

Fiberglass Wick

Fiberglass Wick is designed for use in food warmers, chaffing dish warmers and other oil based applications. This wick is long lasting and provides superior performance in your candle systems. These wicks are made of 100% fiberglass.

Features

- ▶ Designed for use in food warmers, chaffing dish warmers and oil based applications.
- ▶ Wick design provides long lasting, high performance.
- ▶ Constructed from 100% fiberglass.



The Heart of Great Candles™

Atkins & Pearce wicks are at the heart of great candles. At Atkins & Pearce we believe that the wick is the heart of the candle system and feel a real sense of pride in supplying our customers with that one best wick that suits each and every one of their needs. Over the past 150 years we've perfected our wick manufacturing process and offer an expansive wick selection to fit each customer's unique needs.

Fiberglass Wick

Rate Chart

	Flame HT - cm (in)	ROC - g/hr (oz/hr)	Yields - yds/lb	Total # of Ends
AP-2200	7.00 (2.76)	10.22 (0.36)	263	4
#4-LEX3713	8.00 (3.15)	15.10 (0.53)	279	4
#12-LEX3664	12.00 (4.72)	18.21 (0.64)	67	24
#12371312	12.50 (4.92)	21.00 (0.74)	65	24
#20/74	13.00 (5.12)	21.86 (0.77)	75	24
#8-LEX3713	14.00 (5.51)	22.56 (0.80)	130	8

Disclaimer

The rate charts provided in this catalog are meant to serve only as a guide for our customers to assist them in wick selection. Many variables exist in candle wax types, additives and formulations for individual candle systems. Final wick selection should always be confirmed through the customer's own testing process to determine if a particular wick is the correct choice for a particular candle system. Atkins & Pearce is not responsible for selections made by the customer using any of the reference material contained in this catalog. For optimal burn performance in specific candle systems, we strongly recommend that customers conduct exhaustive burn tests in their own burn lab and consider retaining samples for their future internal reference. The importance of candle testing and data validation cannot be overstated.